Author Index

Abott, G.G., Safford, J.W., MacDonald, R.G., Craine, M.C. and Applegren, R.R., Development of automated immunoassays for immune status screening and serodiagnosis of rubella virus infection, 227

Anderson, L.J., see Parker, R.A., 135

Applegren, R.R., see Abbott, G.G., 227

Auvinen, P., Ziegler, T., Skern, T., Kuechler, E., Stanway, G. and Hyypiä, T., Identification of rhinoviruses by cDNA probes, 61

Azzi, A., Zakrzewska, K., Gentilomi, G., Musiani, M. and Zerbini, M., Detection of B19 parvovirus infections by a dot-blot hybridization assay using a digoxigenin-labelled probe, 125

Bald, J.G., Iltis, R., Schneider, S.M., Gokhale, D.V. and Desjardins, P.R., Association of logistic and Poisson models of infection with some physical characteristics of a single component plant virus, 11

Bernard, H.U., see Chow, V.T.K., 101

Brown, G.A. and Field, H.J., A reliable method for establishing viral infection in the rabbit by intranasal inoculation (Short Communication), 341

Burrell, C.J., see Gowans, E.J., 69

Chevrier, D., see Larzul, D., 49

Chow, V.T.K., Tham, K.M. and Bernard, H.U., *Thermus aquaticus* DNA polymerase-catalysed chain reaction for the detection of human papillomaviruses, 101

Cleator, G.M., see Klapper, P.E., 327

Consales, C.A., Mendonca, R.Z., Gallina, N.M.F. and Pereira, C.A., Cytopathic effect induced by rabies virus in McCoy cells, 277

Craine, M.C., see Abbott, G.G., 227

Cubie, H.A., Winter, G.F., Leslie, E.E. and Inglis, J.M., Rapid detection of respiratory syncytial virus antigens in nasopharyngeal secretions, 121

Dahling, D.R. and Wright, B.A., Comparison of fortified calf serum, serum substitutes and fetal calf serum with or without extenders for propagation of cell cultures for virus plaque assays, 287

Desjardins, P.R., see Bald, J.G., 11

Drescher, J., Renger, D. and Flik, J., Method for determining the concentration of influenza virus antihemagglutinin antibody molecules, the number of epitopes per virus particle and the equilibrium constant of virus antibody interaction, 295

Entrican, G., see Fenton, A., 253

Erdman, D.D., see Parker, R.A., 135

Eriksson, B.-M., see Zweygberg Wirgart, B., 211

Fenton, A., Entrican, G., Herring, J.A. and Nettleton, P.F., An ELISA for detecting pestivirus antigen in the blood of sheep persistently infected with border disease virus, 253

Field, H.J., see Brown, G.A., 341

Fiszon, B. and Hannoun, C., Comparison of neuraminidases of the same subtype but from different species using a new method of titration, 79

Flik, J.,see Drescher, J., 295

Földes, I., see Somogyi, P.A., 269

Fukuda, A., see Umino, Y., 159

Gallina, N.M.F., see Consales, C.A., 277

Gentilomi, G., see Azzi, A., 125

Glokhale, D.V., see Bald, J.G., 11

Gowans, E.J., Macnaughton, T.B., Mickan, L., Jilbert, A.R. and Burrell, C.J., Use of recombinant hepatitis delta antigen in diagnostic assays for HDV antibody, 69

Griffith, B.P., Isom, H.C. and Lavallee, J.T., Cellular localization of cytomegalovirus nucleic acids in guinea pig salivary glands by in situ hybridization, 145

Grillner, L., see Zweygberg Wirgart, B., 211

Grinde, B., see Tjotta, E., 169

Guesdon, J.-L., see Larzul, D., 49

Gyuris, A., see Somogyi, P.A., 269

Haga, S., see Hirano, N., 91

Hagari, S., see Yamada, O., 203

Hannoun, C., see Fiszon, B., 79

Harbour, D., see Xu, L., 29

Hasmann, H.J., see Steele-Mortimer, O.A., 241

Herring, J.A., see Fenton, A., 253

Hilgers, L.A.Th., see Scholten, R., 221

Hirano, N., Ono, K., Takasawa, H., Murakami, T. and Haga, S., Replication and plaque formation of swine hemagglutinating encephalo-

myelitis virus (67N) in swine cell line, SK-K culture, 91
Hishiyama, M., see Umino, Y., 159
Hökeberg, I., see Zweygberg Wirgart, B., 211
Hunges, O., see Tjotta, E., 169
Hyypiä, T., see Auvinen, P., 61

Iltis, R., see Bald, J.G., 11
Inglis, J.M., see Cubie, H.A., 121
Isfort, R.J., Robinson, D. and Kung, H.-J., Purification of genomic sized herpesvirus DNA using pulse-field electrophoresis, 311
Isom, H.C., see Griffith, B.P., 145
Ito, C., see Shirono, H., 1

Jankura, D., see Toth, T.E., 113
Jeurissen, S.H.M., see Scholten, R., 221
Jilbert, A.R., see Gowans, E.J., 69

Kamahora, T., see Yamada, O., 203
Kishi, Y, see Yamada, O., 203
Klapper, P.E., Cleator, G.M., Prinja-Wilks, D., Morris, D.J. and Morrell, G., Immunoradiometric assay for cytomegalovirus-specific IgG antibodies: assay development and evaluation in blood transfusion practice, 327
Koga, J., see Shirono, H., 1
Krah, D.L., Schofield, T.L. and Provost, P.J., Enhancement of varicella-zoster virus plaquing efficiency with an agarose overlay medium, 319
Kuechler, E., see Auvinen, P., 61
Kung, H.-J., see Isfort, R.J., 311
Kurimura, T., see Yamada, O., 203

Landqvist, M., see Zweygberg Wirgart, B., 211
Larzul, D., Chevrier, D., Thiers, V. and Guesdon, J.-L., An automatic modified polymerase chain reaction procedure for hepatitis B virus DNA detection, 49
Lavallee, J.T., see Griffith, B.P., 145
Leslie, E.E., see Cubie, H.A., 121
Löser, R., see Steele-Mortimer, O.A., 241
Love, C., see Parry, R.P., 39

MacDonald, R.G., see Abbott, G.G., 227
Macnaughton, T.B., see Gowans, E.J., 69
Matsumoto, T., see Yamada, O., 203
McCrae, M.A., see Xu, L., 29
McFarlane, R.G., Molitor, T.W. and Vakharia, V.N., The detection and differentiation of foot-and-mouth disease viruses using solid-phase nucleic acid hybridization, 175
Meier-Ewert, H., see Steele-Mortimer, O.A., 241
Mendonca, R.Z., see Consales, C.A., 277
Mickan, L., see Gowans, E.J., 69
Miller, S.D., see Peterson, J.D., 189
Molitor, T.W., see McFarlane, R.G., 175
Morrell, G., see Klapper, P.E., 327
Morris, D.J., see Klapper, P.E., 327
Murakami, M., see Hirano, N., 91
Musiani, M., see Azzi, A., 125

Nakashima, M., see Yamada, O., 203
Nettleton, P.F., see Fenton, A., 253

Olding-Stenkvist, E., see Zweygberg Wirgart, B., 211
Ono, K., see Hirano, N., 91

Parker, R.A., Erdman, D.D. and Anderson, L.J., Use of mixture models in determining laboratory criterion for identification of seropositive individuals: application to parvovirus B19 serology, 135
Parry, R.P., Love, C. and Robinson, G.A., Detection of rubella antibody using an optical immunosensor, 39
Pathmanathan, R., see Permeen, A.M.Y., 261
Pereira, C.A., see Consales, C.A., 277
Permeen, A.M.Y., Sam, C.K., Pathmanathan, R., Prasad, U., and Wolf, H., Detection of Epstein-Barr virus DNA in nasopharyngeal carcinoma using a non-radioactive digoxigenin-labelled probe, 261
Peterson, J.D., Miller, S.D. and Waltenbaugh, C., Rapid biotin-avidin method for quantitation of antiviral antibody isotypes, 189
Prasad, U., see Permeen, A.M.Y., 261
Prinja-Wilks, D., see Klapper, P.E., 327
Provost, P.J., see Krah, D.L., 319

Renger, D., see Drescher, J., 295
Robinson, D., see Isfort, R.J., 311
Robinson, G.A., see Parry, R.P., 39

Safford, J.W., see Abbott, G.G., 227
Saito, S., see Umino, Y., 159
Sam, C.K., see Permeen, A.M.Y., 261
Schneider, S.M., see Bald, J.G., 11
Schofield, T.L., see Krah, D.L., 319
Scholten, R., Hilgers, L.A. Th., Jeurissen, S.H.M. ans Weststrate, M.W., Detection of Marek's disease virus antigen in chickens by a novel immunoassay, 221
Shirono, H., Ito, C. and Koga, J., Studies on subtype composition innatural leukocyte interferon preparations, 1
Skern, T., see Auvinen, P., 61

Somogyi, P.A., Gyuris, A. and Földes, I., A solid phase reverse transcriptase micro-assay for the detection of human immunodeficiency virus and other retroviruses in cell culture supernatants, 269
Stanway, G., see Auvinen, P., 61
Steele-Mortimer, O.A., Meier-Ewert, H., Löser, R. and Hasmann, H.J., Flow cytometric analysis of virus-infected cells and its potential use for screening antiviral agents, 241
Sugiura, A., see Umino, Y, 159

Takasawa, H., see Hirano, N., 91
Tham, K.M., see Chow, V.T.K., 101
Thiers, V., see Larzul, D., 49
Tjotta, E., Hungnes, O. and Grinde, B., An assay for quantifying infectious HIV particles, 169
Toth, T.E. and Jankura, D., Analysis of bovine parainfluenza 3 virus replication in bovine embryonic lung cells by indirect fluorescent antibody and hemadsorption assays (Short Communication), 113

Uemura, H., see Yamada, O., 203
Ueyama, H., see Yamada, O., 203
Umino, Y., Saito, S., Fukuda, A., Hishiyama, M. and Sugiura, A., Improvement in potency assay of measles-mumps-rubella trivalent vaccine: interference between components and measures for its elimination, 159

Vakharia, V.N., see McFarlane, R.G., 175

Waltenbaugh, C., see Peterson, J.D., 189
Weststrate, M.W., see Scholten, R., 221
Winter, G.F., see Cubie, H.A., 121
Wolf, H., see Permeen, A.M.Y., 261
Wright, B.A., see Dahling, D.R., 287

Xu, L., Harbour, D. and McCrae, M.A., The application of polymerase chain reaction to the detection of rotaviruses in faeces, 29

Yamada, O., Matsumoto, T., Nakashima, M., Hagari, S., Kamahora, T., Ueyama, H., Kishi, Y., Uemura, H. and Kurimura, T., A new method for extracting DNA or RNA for polymerase chain reaction, 203

Zakrzewska, K., see Azzi, A., 125
Zerbini, M., see Azzi, A., 125
Ziegler, T., see Auvinen, P., 61
Zweygberg Wirgart, B., Landqvist, M., Hökeberg, I., Eriksson, B.-M., Olding-Stenkvist, E. and Grillner, L., Early detection of cytomegalovirus in cell culture by a new monoclonal antibody, CCH2, 211

Subject Index

Agarose overlay plaque assay, Varicella-zoster virus plaque assay, Virus vaccine potency testing, 319
Antibody isotype quantitation, Fluorescence immunoassay, Viral antibody, Particle concentration fluorescence immunoassay, Theiler's murine encephalomyelitis virus, 189
Antibody measurement, Diagnostic criterion, ELISA test, Mixture distribution, Sensitivity, Specificity, 135
Antibody, Rubella, Immunoresponse, Immunoassay, Automation, Diagnosis, 227
Antihemagglutinin antibody, Influenza virus, Equilibrium constant, 295
Antiviral, Flow cytometry, Viral antigen detection, Cell volume, 241
Automation, Rubella, Antibody, Immunoresponse, Immunoassay, Diagnosis, 227
Automatization, HBV, PCR, Diagnosis, 49

BHV-1, Rabbit, Virus inoculation, 341
Biotin-streptavidin peroxidase, Cytomegalovirus, Monoclonal antibody, CCH2, Immunofluorescence, Immunoenzymatic staining, 211
Blood transfusion, Cytomegalovirus IgG antibody, Immunoradiometric assay, Organ tranplantation, 327
Bovine embryonic lung, Bovine parainfluenza-3 virus, Indirect fluorescent antibody, Hemadsorption, 113
Bovine parainfluenza-3 virus, Bovine embryonic lung, Indirect fluorescent antibody, Hemadsorption, 113

CCH2, Cytomegalovirus, Monoclonal antibody, Immunofluorescence, Immunoenzymatic staining, Biotin-streptavidin peroxidase, 211
Capillary fill device, Rubella antibody, Optical immunosensor, 39
Cell volume, Flow cytometry, Viral antigen detection, Antiviral, 241
Coronavirus, Swine hemagglutinating encephalomyelitis virus, Replication, Plaque assay, 91
Cytocentrifuge, Respiratory syncytical virus, Monoclonal antibody, 121
Cytomegalovirus, Guinea pig, Salivary gland, Nucleic acid, Hybridization, Cytomegalovirus, Monoclonal antibody, CCH2, Immunofluorescence, Immunoenzymatic staining, Biotin-streptavidin peroxidase, 211
Cytomegalovirus IgG antibody, Immunoradiometric assay, Blood transfusion, Organ transplantation, 327
Cytopathic effect, Rabies, McCoy cell, 277
DNA, Herpesvirus, Pulse-field electrophoresis, 311
cDNA, FMDV, Picornavirus, Hybridization, Diagnosis, 175
Diagnosis, HBV, PCR, Automatization, 49
Diagnosis, Hepatitis delta virus, Recombinant antigen, Radioimmunoassay, Immunofluorescence, Gene cloning, 69
Diagnosis, FMDV, Picornavirus, cDNA, Hybridization, 175
Diagnosis, Rubella, Antibody, Immunoresponse, Immunoassay, Automation, 227
Diagnostic criterion, Antibody measurement, ELISA test, Mixture distribution, Sensitivity, Specificity, 135
Digoxigenin-labelled probe, Human parvovirus, Viral detection, 125
Digoxigenin, Epstein-Barr virus, Nasopharyngeal carcinoma, 261
Dipstick-ELISA, Marek disease virus (MDV), Immunoassay, ELISA, Monoclonal antibody, 221
ELISA, Marek disease virus (MDV), Immunoassay, Dipstick-ELISA, Monoclonal antibody, 221
ELISA, Pestvirus, Monoclonal antibody, 253
ELISA test, Antibody measurement, Diagnostic criterion, Mixture distribution, Sensitivity, Specificity, 135
Enzyme immunoassay, Human leukocyte interferon, Subtype composition, Reverse phase high performance liquid chromatography, 1
Epstein-Barr virus, Digoxigenin, Nasopharyngeal carcinoma, 261
Equilibrium constant, Influenza virus, Antihemagglutinin antibody, 295
Extender, Serum, Serum substitute, Virus sensitivity, 287
FMDV, Picornavirus, cDNA, Hybridization, Diagnosis, 175
Flow cytometry, Viral antigen detection, Antiviral, Cell volume, 241
Fluorescence immunoassay, Viral antibody, Particle concentration fluorescence immunoassay, Theiler's murine encephalomyelitis virus, Antibody isotype quantitation, 189
Gene cloning, Hepatitis delta virus, Diagnosis,

Recombinant antigen, Radioimmunoassay, Immunofluorescence, 69
Glass powder, PCR, HTLV-1, HIV, 203
Guinea pig, Cytomegalovirus, Salivary gland, Nucleic acid, Hybridization, 145
HBV, PCR, Diagnosis, Automatization, 49
HIV, Infectious particle, Virus quantification, 169
HIV, PCR, Glass powder, HTLV-1, 203
HTLV-1, PCR, Glass powder, HIV, 203
Hemadsorption, Bovine parainfluenza-3 virus, Bovine embryonic lung, Indirect fluorescent antibody, 113
Hepatitis delta virus, Diagnosis, Recombinant antigen, Radioimmunoassay, Immunofluorescence, Gene cloning, 69
Herpesvirus, DNA, Pulse-field electrophoresis, 311
Human immunodeficiency virus, Reverse transcriptase, Retrovirus, PEG, 269
Human leukocyte interferon, Subtype composition, Reverse phase high performance liquid chromatography, Enzyme immunoassay, 1
Human papillomavirus (HPV), Polymerase chain reaction (PCR), *Thermus aquaticus* DNA polymerase, 101
Human parvovirus, Digoxigenin-labelled probe, Viral detection, 125
Hybridization, Cytomegalovirus, Guinea pig, Salivary gland, Nucleic acid, 145
Hybridization, FMDV, Picornavirus, cDNA, Diagnosis, 175
Immunoassay, Marek disease virus (MDV), ELISA, Dipstick-ELISA, Monoclonal antibody, 221
Immunoassay, Rubella, Antibody, Immunoresponse, Automation, Diagnosis, 227
Immunocytochemical staining, Measles-mumps-rubella vaccine, Interference, 159
Immunoenzymatic staining, Cytomegalovirus, Monoclonal antibody, CCH2, Immunofluorescence, Biotin-streptavidin peroxidase, 211
Immunofluorrescence, Hepatitis delta virus, Diagnosis, recombinant antigen, Radioimmunoassay, Gene cloning, 69
Immunofluorescence, Cytomegalovirus, Monoclonal antibody, CCH2, Immunoenzymatic staining, Biotin-streptavidin peroxidase, 211
Immunoradiometric assay, Cytomegalovirus IgG antibody, Blood transfusion, Organ transplantation, 327
Immunoresponse, Rubella, Antibody, Immunoassay, Automation, Diagnosis, 227
Indirect fluorescent antibody, Bovine parainfluenza-3 virus, Bovine embryonic lung, Hemadsorption, 113
Infectious particle, HIV, Virus quantification, 169
Influenza virus, Neuraminidase, Neuraminidase assay, Peanut hemagglutinin, Wild duck, 79
Influenza virus, Equilibrium constant, Antihemagglutinin antibody, 295
Interference, Measles-mumps-rubella vaccine, Immunocytochemical staining, 159
Logistic-Poisson, Virus infectivity, Modelling, State of virus, 11
Marek disease virus (MDV), Immunoassay, ELISA, Dipstick-ELISA, Monoclonal antibody, 221
McCoy cell, Rabies, Cytopathic effect, 277
Measles distribution, Antibody measurement, Diagnostic criterion, ELISA test, Sensitivity, Specificity, 135
Modelling, Virus infectivity, Logistic-Poisson, State of virus, 11
Monoclonal antibody, Respiratory syncytical virus, Cytocentrifuge, 121
Monoclonal antibody, Cytomegalovirus, CCH2, Immunofluorescence, Immunoenzymatic staining, Biotin-streptavidin peroxidase, 211
Monoclonal antibody, Marek disease virus (MDV), Immunoassay, ELISA, Dipstick-ELISA, 221
Monoclonal antibody, Pestivirus, ELISA, 253
Nasopharyngeal carcinoma, Digoxigenin, Epstein-Barr virus, 261
Neuraminidase, Influenza virus, Neuraminidase assay, Peanut hemagglutinin, Wild duck, 79
Neuraminidase assay Influenza virus, Neurominidase, peanut hemagglutinin, Wild duck, 79
Nucleic acid, Cytomegalovirus, Guinea pig, Salivary gland, Hybridization, 145
Nucleic acid hybridization, Rhinovirus, 61
Optical immunosensor, Rubella antibody, Capillary fill device, 39
Organ transplantation, Cytomegalovirus IgG antibody, Immunoradiometric assay, Blood transfusion, 327
PCR, Glass powder, HTLV-1, HIV, 203
PCR, HBV, Diagnosis, Automatization, 49
PEG, Human immunodeficiency virus, Reverse transcriptase, Retrovirus, 269
Particle concentration fluorescence immunoassay, Fluorescence immunoassay, Viral antibody, Theiler's murine encephalomyelitis virus, Antibody isotype quantitation, 189
Peanut hemagglutinin, Influenza virus, Neuraminidase, Neuraminidase assay, Wild duck, 79
Pestivirus, ELISA, Monoclonal antibody, 253
Picornavirus, FMDV, cDNA, Hybridization, Diagnosis, 175
Plaque assay, Swine hemagglutinating encephalomyelitis virus, Coronavirus, Replication, 91

Polymerase chain reaction, Rotavirus, Viral diagnosis, 29
Polymerase chain reaction (PCR), Human papillomavirus (HPV), *Thermus aquaticus* DNA polymerase, 101
Pulse-field electrophoresis, Herpesvirus, DNA, 311
Rabbit, Virus inoculation, BHV-1, 341
Rabies, McCoy cell, Cytopathic effect, 277
Radioimmunoassay, Hepatitis delta virus, Diagnosis, Recombinant antigen, Immunofluorescence, Gene cloning, 69
Recombinant antigen, Hepatitis delta virus, Diagnosis, Radioimmunoassay, Immunofluorescence, Gene cloning, 69
Replication, Swine hemagglutinating encephalomyelitis virus, Coronavirus, Plaque assay, 91
Respiratory syncytical virus, Monoclonal antibody, Cytocentrifuge, 121
Retrovirus, Human immunodeficiency virus, reverse transcriptase, PEG, 269
Reverse phase high performance liquid chromatography, Human leukocyte interferon, Subtype composition, Enzyme immunoassay, 1
Reverse transcriptase, Human immunodeficiency virus, Retrovirus, PEG, 269
Rhinovirus, Nucleic acid hybridization, 61
Rotavirus, Polymerase chain reaction, Viral diagnosis, 29
Rubella, Antibody, Immunoresponse, Immunoassay, Automation, Diagnosis, 227
Rubella antibody, Optical immunosensor, Capillary fill device, 39
Salivary gland, Cytomegalovirus, Guinea pig, Nucleic acid, Hybridization, 145
Sensitivity, Antibody measurement, Diagnostic criterion, ELISA test, Mixture distribution, Specificity, 135
Serum, Serum substitute, Extender, Virus sensitivity, 287
Serum substitute, Serum, Extender, Virus sensitivity, 287
Specificity, Antibody measurement, Diagnostic criterion, ELISA test, Mixture distribution, Sensitivity, 135
State of virus, Virus infectivity, Modelling, Logistic-Poisson, 11
Subtype composition, Human leukocyte interferon, Reverse phase high performance liquid chromatography, Enzyme immunoassay, 1
Swine hemagglutinating encephalomyelitis virus, Coronavirus, Replication, Plaque assay, 91
Theiler's murine encephalomyelitis virus, Fluorescence immunoassay, Viral antibody, Particle concentration fluorescence immunoassay, Antibody isotype quantitation, 189
Thermus aquaticus DNA polymerase, Human papillomavirus (HPV), Polymerase chain reaction (PCR), 101
Varicella-zoster virus plaque assay, Virus vaccine potency testing, Agarose overlay plaque assay, 319
Viral antibody, Fluorescence immunoassay, Particle concentration fluorescence immunoassay, Theiler's murine encephalomyelitis virus, Antibody isotype quantitation, 189
Viral antigen detection, Flow cytometry, Antiviral, Cell volume, 241
Viral detection, Human parvovirus, Digoxigenin-labelled probe, 125
Viral diagnosis, Rotavirus, Polymerase chain reaction, 29
Virus infectivity, Modelling, Logistic-Poisson, State of virus, 11
Virus inoculation, Rabbit, BHV-1, 341
Virus quantification, HIV, Infectious particle, 169
Virus sensitivity, Serum, Serum substitute, Extender, 287
Virus vaccine potency testing, Varicella-zoster virus plaque assay, Agarose overlay plaque assay, 319
Wild duck, Influenza virus, Neurominidase, Neuraminidase assay, Peanut hemagglutinin, 79